## Findings of the Mountaire Pollution Committee

Chris Bason, Executive Director April 9, 2018




















## Generalized flow of groundwater and contaminants



Not to Scale

### **EXPLANATION**



Nitrate concentration, in milligrams per liter as N








5-10



>10

How long does water entering the estuary stay




## DNREC Wastewater Disposal Permit

- Facility permitted to dispose of 2.6 million gallons of wastewater per day on ~1,000 acres of farm fields.
- No more than 320 lbs. of nitrogen, including agricultural fertilizers, applied per year.
- Groundwater must meet safe drinking water standard for nitrate of 10 milligrams per liter.




Nitrogen Concentration of Wastewater Effluent to Spray Irrigation at Mountaire Facility (1999 – 2017)



Mountaire monitoring data submitted to DNREC obtained by Scott Andres (1999-2008) and CIB (2011-2017) from DNREC

### Average Nitrate Concentration of Groundwaters



General area of
Mountaire facility
wastewater
disposal


Groundwater
<a href="Monitoring Wells">Monitoring Wells</a>

Average nitrate Concentration in milligrams/liter of water (1988-2016)

0 - 10


10 - 30

0 30 - 50+




Millsboro

Annual Average Nitrate Concentration of Groundwater in 34 Monitoring Wells of the Mountaire Facility



Nitrogen Concentration of Indian River near Swan Creek (2000 - 2017)






- Provide permanent alternate water source to 7 residences,
- and implement a groundwater monitoring and remediation program to achieve drinking water standard
- 2005 request for closure by Mountaire denied; order open.

### 2009 Violation of DNREC Wastewater Permit

- 78,465 lbs. of nitrogen applied to fields over permit limit (32%)
- No penalty issued



## 2015/2016 DNREC Wastewater Permit 5-year Compliance Review (2009-2013)

- Only 3 of 5 required annual reports available
- Nitrogen loading to fields under-calculated
- Spray wastewater operator logs not produced
- 3 of 7 shallow ground water monitors not working
- Groundwater nitrate concentrations increasing
- Permit re-issued in 2017





# 2013 EPA Review of DNREC Enforcement of a Clean Water Act Program

- DNREC did not appropriately escalate enforcement on significant violations and longterm non-compliance for the National Pollution Discharge Elimination Program (NPDES)
- 2004 & 2008 Review found the same

#### STATE REVIEW FRAMEWORK

#### Delaware

Clean Water Act, Clean Air Act, and Resource Conservation and Recovery Act Implementation in Federal Fiscal Year 2013

U.S. Environmental Protection Agency Region III, Philadelphia



## In Conclusion



